



PLANET SALES CORPORATION


BLOOMFIELD, NEW JERSEY

Universal Replacement Type Capacitors

"LYTICAP"

Single Section Electrolytics — Type "L"

Hermetically sealed in aluminum tubes, covered with red Kraftboard insulating jackets — tinned brass leads, guaranteed for one year.




CAT. NO.	MFD.	SIZE*	LIST PRICE
500 WVDC			
L-5-500	5	3/4 x 1 5/8	\$1.25
L-10-500	10	7/8 x 2 1/4	1.35
L-20-500	20	1 x 2 3/8	1.60
L-30-500	30	1 x 2 1/2	1.75
450 WVDC			
L-4-450	4	5/8 x 1 5/8	1.15
L-8-450	8	3/4 x 1 5/8	1.25
L-10-450	10	3/4 x 1 5/8	1.30
L-12-450	12	7/8 x 1 5/8	1.35
L-16-450	16	7/8 x 2 1/4	1.40
L-20-450	20	1 x 2 1/4	1.55
L-30-450	30	1 x 2 3/8	1.70
L-40-450	40	1 x 2 1/2	1.80
L-50-450	50	1 1/4 x 2 1/4	2.10
L-60-450	60	1 1/4 x 2 1/4	2.40
L-80-450	80	1 3/8 x 2 1/4	2.80
L-100-450	100	1 3/8 x 2 1/4	3.20
350 WVDC			
L-8-350	8	5/8 x 1 5/8	1.20
L-16-350	16	7/8 x 1 5/8	1.40
L-20-350	20	7/8 x 1 5/8	1.45
L-30-350	30	7/8 x 2 1/4	1.65
L-40-350	40	1 x 2 1/4	1.75
250 WVDC			
L-5-250	5	5/8 x 1 5/8	1.00
L-10-250	10	5/8 x 1 5/8	1.20
L-20-250	20	3/4 x 1 5/8	1.35
L-24-250	24	3/4 x 1 5/8	1.35
L-30-250	30	3/4 x 1 5/8	1.45
L-40-250	40	7/8 x 1 3/4	1.55
150 WVDC			
L-5-150	5	5/8 x 1 1/8	\$1.00
L-8-150	8	1/2 x 1 5/8	1.05
L-10-150	10	1/2 x 1 5/8	1.05
L-16-150	16	5/8 x 1 5/8	1.15
L-20-150	20	5/8 x 1 5/8	1.20
L-30-150	30	3/4 x 1 5/8	1.30
L-40-150	40	3/4 x 1 5/8	1.35

CAT. NO.	MFD.	SIZE*	LIST PRICE
150 WVDC (Cont'd)			
L-50-150	50	3/4 x 2 1/4	1.40
L-80-150	80	7/8 x 2 1/4	1.60
L-100-150	100	7/8 x 2 3/8	1.75
L-150-150	150	1 x 2 1/4	1.90
L-200-150	200	1 1/8 x 3 1/4	2.20
50 WVDC			
L-1-50	1	1/2 x 1 1/8	.90
L-2-50	2	1/2 x 1 1/8	.90
L-3-50	3	1/2 x 1 1/8	.90
L-5-50	5	1/2 x 1 1/8	1.00
L-10-50	10	1/2 x 1 1/8	1.00
L-25-50	25	1/2 x 1 5/8	1.05
L-50-50	50	5/8 x 1 5/8	1.20
L-100-50	100	3/4 x 1 5/8	1.40
L-150-50	150	7/8 x 1 5/8	1.55
L-250-50	250	1 x 2 1/8	1.75
L-500-50	500	1 x 3	2.75
25 WVDC			
L-10-25	10	1/2 x 1 1/8	1.00
L-25-25	25	1/2 x 1 5/8	1.00
L-50-25	50	5/8 x 1 5/8	1.10
L-100-25	100	5/8 x 1 5/8	1.35
L-250-25	250	7/8 x 2 1/4	1.70
L-500-25	500	1 x 2 3/8	2.30
15 WVDC			
L-1000-15	1000	1 x 3	2.30
12 WVDC			
L-100-12	100	5/8 x 1 1/4	1.20
L-250-12	250	3/4 x 2 1/4	1.45
L-500-12	500	7/8 x 2 3/8	1.70
6 WVDC			
L-500-6	500	3/4 x 1 5/8	1.55
L-1000-6	1000	7/8 x 2 1/4	1.90
L-1500-6	1500	7/8 x 2 3/8	2.10
L-2000-6	2000	1 x 2 3/8	2.30
3 WVDC			
L-500-3	500	5/8 x 1 5/8	1.55
L-1000-3	1000	7/8 x 2 1/4	1.80
L-1500-3	1500	7/8 x 2 3/8	2.10
L-2000-3	2000	1 x 2 3/8	2.30

Dual Section Electrolytics — Type "IL"

Hermetically sealed in aluminum tubes with completely flexible leads. U/L Approved, plastic coated leads are rivetted directly to the condenser end disc, eliminating the use of rigid terminal risers, allowing capacitor to fit into smaller space and eliminating lead breakage. IL capacitors have wrap around mounting strap and are common negative, guaranteed for one year.



CAT. NO.	MFD.	SIZE*	LIST PRICE
450 WVDC			
IL-2x8-450	8+8	7/8 x 2 1/8	\$1.70
IL-2x20-450	20+20	1 x 2 1/4	2.50
IL-2x30-450	30+30	1 1/4 x 2 1/4	3.00
IL-2x40-450	40+40	1 3/8 x 2 1/4	3.40


* Dimensions are for metal tubes. Add 1/16" to diameter and 1/8" to length for over-all dimensions over cardboard insulating tube.

CAT. NO.	MFD.	SIZE*	LIST PRICE
150 WVDC			
IL-2x20x150	20+20	3/4 x 1 5/8	1.65
IL-2x30-150	30+30	7/8 x 1 5/8	1.80
IL-4020-150	40+20	7/8 x 1 5/8	1.75
IL-2x40-150	40+40	7/8 x 2 1/4	1.85
IL-5030-150	50+30	7/8 x 2 1/4	1.95
IL-2x50-150	50+50	1 x 2 1/4	2.10
IL-8040-150	80+40	1 x 2 3/8	2.25

All Prices Subject to Change Without Notice

PLANET SALES CORPORATION

BLOOMFIELD, NEW JERSEY




Universal Replacement Type Capacitors

Cardboard Tube Electrolytics — Type "CT"

Constructed in strong red cardboard tubes, wax impregnated — long insulated stranded leads of U/L approved wire — high temperature wax end-fill — wrap around mounting strap. Guaranteed for one year.

CAT. NO.	MFD.	WVDC	SIZE	LIST PRICE
DUAL UNITS — COMMON NEGATIVE				
CT-2x20-150	20+20	150	3/4 x 2 1/2	\$1.65
CT-2x30-150	30+30	150	7/8 x 2 1/2	1.80
CT-4020-150	40+20	150	7/8 x 2 1/2	1.75
CT-2x40-150	40+40	150	1 x 2 1/2	1.85
CT-5030-150	50+30	150	1 x 2 1/2	1.95
CT-2x50-150	50+50	150	1 x 3	2.10
CT-8040-150	80+40	150	1 x 3 1/4	2.25

CAT. NO.	MFD.	WVDC	SIZE	LIST PRICE
TRIPLE UNITS — COMMON NEGATIVE				
CT-3x20-150	20+20+20	150	1 x 2 1/2	\$2.20
CT-302520-150	30+25+30	150	1 x 2 1/2	2.25
CT-3x30-150	30+30+30	150	1 x 3	2.35
CT-402020-150	40+20+20	150	1 x 3	2.25
CT-403020-150	40+30+20	150	1 x 3	2.35
CT-404020-150	40+40+20	150	1 x 3	2.40
CT-3x40-150	40+40+40	150	1 x 3 1/4	2.45
CT-503020-150	50+30+20	150	1 x 3	2.45
CT-804020-150	80+40+20	150	1 x 3 3/8	2.75
CT-302	30+20/20	150/25	1 x 2 1/2	2.10
CT-303	40+30/20	150/25	1 x 3	2.20
CT-304	50+50/20	150/25	1 x 3 1/4	2.50
CT-305	50+30/20	150/25	1 x 3	2.35



All Purpose Paper Capacitors

"ROCKETTES"

Planet ROCKETTES are impregnated and jacketed with a HARD-as-ROCK plastic which will not dry out, shrink away from the leads nor develop fissures nor cracks, thus guaranteeing against the entrance of moisture and guaranteeing good shelf life and long service life. The coiled heads of the leads are securely soldered to the foil, which is imbedded in the same plastic used as an impregnant, making it impossible for them to work loose or pull out. ROCKETTES have exceptionally high insulation resistance which is maintained proportionately over the entire temperature range of -30° to $+85^{\circ}$ C.

CAT. NO.	MFD.	SIZE	LIST PRICE
600 WVDC			
R-001-6	.001	1 1/4 x 1	\$.25
R-002-6	.002	1 1/4 x 1	.25
R-003-6	.003	3/8 x 1	.25
R-004-6	.004	3/8 x 1	.25
R-0047-6	.0047	3/8 x 1	.25
R-005-6	.005	3/8 x 1	.25
R-006-6	.006	3/8 x 1	.25
R-01-6	.01	7/8 x 1	.30
R-02-6	.02	7/8 x 1 1/4	.30
R-03-6	.03	7/8 x 1 1/2	.35
R-04-6	.04	1 1/4 x 1 1/2	.35
R-047-6	.047	1/2 x 1 5/8	.40
R-05-6	.05	1 1/4 x 1 5/8	.40
R-1-6	.1	1 1/4 x 1 5/8	.45


CAT. NO.	MFD.	SIZE	LIST PRICE
600 WVDC (Cont'd)			
R-2-6	.2	1 1/4 x 2	.55
R-25-6	.25	1 1/4 x 2	.55
R-5-6	.5	1 1/4 x 2 1/8	.80
1600 WVDC			
R-001-16	.001	7/8 x 1 1/8	.55
R-002-16	.002	3/8 x 1 1/8	.55
R-003-16	.003	7/8 x 1 1/4	.55
R-005-16	.005	1/2 x 1 1/4	.55
R-0075-16	.0075	7/8 x 1 1/4	.60
R-008-16	.008	7/8 x 1 1/4	.60
R-01-16	.01	7/8 x 1 1/2	.60
R-02-16	.02	7/8 x 1 3/4	.60
R-05-16	.05	1 1/4 x 2	.70

All Prices Subject to Change Without Notice




PLANET SALES CORPORATION

BLOOMFIELD, NEW JERSEY




Type "CTC" . . . cardboard tube electrolytics especially designed for exact replacement in television sets . . . one end closed . . . long insulated leads out other end . . . sealed with high melting point wax . . . guaranteed for one year . . . individually packaged.



Type "SA" . . . small single section electrolytics for printed circuit boards . . . hermetically sealed in aluminum tubes covered with red Kraftboard insulating jackets . . . extra heavy tinned terminals anchored for proper spacing by a high melting point wax . . . for 85°C operation . . . individually packaged. Recommended for TV, radio and industrial applications . . . guaranteed for one year.

CAT. NO.	MFD.	WVDC	SIZE	LIST PRICE
CTC-1-5	300	150	1 3/8 x 3 7/8	\$2.55
CTC-1-10	150	200	1 1/2 x 3 3/4	3.95
CTC-1-15	200	200	1 3/8 x 3 3/8	2.90
CTC-1-20	140	300	1 3/8 x 3 1/2	3.15
CTC-1-25	200	300	1 1/2 x 4	3.95
CTC-2-5	200+5	150	1 x 3 7/8	2.65
CTC-2-6	200+5	200	1 3/8 x 3 3/8	3.55
CTC-2-15	250+50	150	1 3/8 x 3	3.25
CTC-3-1	30/1000+1000	100/15	1 3/8 x 3 1/2	3.60
CTC-3-5	5/80+40	450/400	1 3/8 x 4 1/8	4.55
CTC-3-3	250+120/50	150/25	1 3/8 x 3 7/8	4.40
CTC-3-4	250+200+10	150	1 3/8 x 3 5/8	4.60
CTC-4-5	150+100+20/100	300/25	1 5/8 x 5 1/4	7.65
CTC-4-10	120+40+40/10	300/250	1 3/8 x 4 5/8	6.20
CTC-4-15	140/5/200+30	350/300/200	1 5/8 x 4 3/8	7.65
CTC-4-20	80+60/40/20	350/300/150	1 5/8 x 4 1/2	5.90
CTC-4-25	10/80/40/100	450/300/250/50	1 3/8 x 4 1/8	4.80
CTC-4-30	20/120/40/100	450/300/250/50	1 1/2 x 4 3/8	6.15
CTC-4-35	10/80/40+40	450/300/250	1 3/8 x 4 3/8	4.95
CTC-4-40	40+40+20+20	450	1 1/2 x 4 3/8	5.45

CAT. NO.	MFD.	WVDC	SIZE	LIST PRICE
SINGLES				
SA-8-3	8	3	3/16 x 1 1/16	\$1.05
SA-50-6	50	6	1 1/16 x 1 3/4	1.05
SA-100-6	100	6	3/16 x 1 1/16	1.30
SA-5-10	5	10	3/16 x 1 1/16	1.05
SA-25-10	25	10	3/16 x 1 1/16	1.10
SA-10-25	10	25	3/16 x 1 1/16	1.10
SA-50-25	50	25	1 1/16 x 2 1/8	1.20
SA-100-25	100	25	2 3/32 x 2	1.45
SA-1-50	1	50	3/16 x 1 1/16	1.00
SA-4-50	4	50	3/16 x 1 1/16	1.10
SA-10-50	10	50	3/16 x 1 1/16	1.10
SA-25-50	25	50	1 9/32 x 2	1.15
SA-50-50	50	50	1 1/16 x 2 1/8	1.30
SA-100-50	100	50	2 3/32 x 2	1.50



Type "PCT" . . . constructed in strong red cardboard tubes, wax impregnated, one end closed, printed circuit board terminals.

Type "PCTL" . . . has insulated lead out top providing for low voltage section.

For 65°C operation . . . recommended for table and clock radios . . . individually packaged . . . guaranteed for one year.

CAT. NO.	MFD.	WVDC	SIZE	LIST PRICE
DUALS				
PCT-2-5	50+30	150	1 x 2 1/2	1.95
PCT-2-10	50+50	150	1 x 3	2.10
PCT-2-15	75+30	150	1 x 3	2.20
PCT-2-20	100+50	150	1 x 3 5/8	2.50
TRIPLES				
PCTL-3-5	40+20/5	150/25	1 x 2 3/4	2.20
PCTL-3-10	60+20/5	150/25	1 x 3	2.40

All Prices Subject to Change Without Notice


PLANET SALES CORPORATION

BLOOMFIELD, NEW JERSEY



Type "TP" . . . twist-prong can electrolytics with mounting ring and solder lug terminals. The mounting ring is grounded by two spot welded connections to the negative tab . . . for 85°C operation . . . complete with metal grounding plate . . . individually packaged. Guaranteed for one year.

Type "PTP" . . . same as Type "TP" except made with printed circuit board terminals.



CAT. NO.	MFD.	WVDC	SIZE	LIST PRICE
SINGLES				
TP-1-5	2000	12	1 x 3½	\$3.25
PTP-1-10	1000	15	1 x 2½	2.55
PTP-1-15	50	150	1 x 2½	1.65
TP-1-20	80	150	1 x 2	1.85
PTP-1-25	100	150	1 x 2½	2.00
TP-1-30	120	150	1 x 3	2.15
TP-1-31	120	150	1¾ x 2½	2.15
PTP-1-35	140	150	1 x 3½	2.15
TP-1-40	150	150	1¾ x 2½	2.15
TP-1-45	150	150	1 x 3	2.15
TP-1-50	200	150	1¾ x 2½	2.45
TP-1-55	300	150	1¾ x 3	2.80
PTP-1-60	150	165	1 x 3½	2.35
PTP-1-65	375	165	1¾ x 3½	4.25
PTP-1-70	80	175	1 x 2½	1.95
TP-1-75	125	350	1¾ x 3½	3.90
TP-1-80	10	450	1 x 2	1.55
TP-1-85	20	450	1 x 2	1.80
TP-1-90	40	450	1 x 3	2.05
TP-1-95	80	450	1¾ x 3	3.05
DUALS				
PTP-2-5	500+150	15	1 x 2	\$3.25
PTP-2-10	250+250	16	1 x 2	2.50
PTP-2-15	70+30	150	1 x 2½	2.20
TP-2-20	50+50	150	1 x 2½	2.15
PTP-2-25	50+30	150	1 x 2	2.00
TP-2-30	50+30	150	1 x 2	2.00
TP-2-35	40+40	150	1 x 2	1.90
TP-2-40	20+20	150	1 x 2	1.70
TP-2-45	100+80	200	1¾ x 2½	3.35
TP-2-50	200+5	200	1¾ x 2½	3.40
TP-2-55	30+30	250	1 x 2½	2.75
TP-2-60	200+15	250	1¾ x 2½	4.00
TP-2-65	30+10	300	1 x 3	2.40
TP-2-70	60/10	300/200	1 x 3	3.15
TP-2-75	125/100	350/10	1¾ x 3½	5.20

CAT. NO.	MFD.	WVDC	SIZE	LIST PRICE
TP-2-80	5/100	350/50	1 x 2	\$1.90
PTP-2-85	10/10	350/50	1 x 2	2.00
TP-2-90	100/80	350/175	1¾ x 3½	4.60
TP-2-95	100+50	350	1¾ x 3½	5.80
TP-2-100	100+100	350	1¾ x 4	6.15
TP-2-105	140+20	350	1¾ x 4	4.30
TP-2-110	30+10	400	1 x 3	2.95
TP-2-115	10+10	450	1 x 2	1.90
TP-2-120	20+20	450	1 x 3	2.55
TP-2-125	40+40	450	1¾ x 3	3.45
TRIPLES				
TP-3-5	90+40/400	150/10	1 x 3½	\$5.25
PTP-3-10	70+30/10	150/25	1 x 2½	2.55
TP-3-15	40+40+40	150	1 x 2½	2.60
PTP-3-20	50+25+150	150	1¾ x 2½	3.75
TP-3-25	50+50+50	150	1 x 3	3.00
TP-3-30	40+20+20	250	1 x 3	2.90
TP-3-35	30+10/20	300/25	1 x 3	4.15
PTP-3-40	60+10/25	300/25	1¾ x 2	4.85
PTP-3-45	30/25/100	350/25/6	1 x 2½	4.65
PTP-3-50	125/5/100	350/150/10	1¾ x 3½	6.60
PTP-3-51	60/200+300	300/150	1¾ x 4	5.00
TP-3-55	20+20/20	350/25	1 x 2½	2.90
TP-3-60	100+100/25	350/25	1¾ x 4½	7.00
TP-3-65	80+40/100	350/50	1¾ x 4	6.50
TP-3-70	10/40+40	350/200	1 x 3	3.25
TP-3-75	80+40+40	350	1¾ x 4	7.95
TP-3-80	30+10/20	400/25	1 x 3	2.85
TP-3-85	40+40+40	450	1¾ x 3½	4.90
QUADS				
PTP-4-5	250+30+20/100	150/10	1¾ x 3½	\$5.30
PTP-4-9	60+100/100/100	350/150/10	1¾ x 5	8.50
PTP-4-10	100+60/60/40	350/200/75	1¾ x 4½	8.50
TP-4-15	40+40+10/100	450/50	1¾ x 3½	5.45
TP-4-20	20+20+20+20	450	1¾ x 3	4.50
TP-4-25	30+30+30+30	450	1¾ x 4	5.65

All Prices Subject to Change Without Notice